

EFM3607SD

A 360L Modular Vertical Freezer with elegant square line design, stainless steel finish, outstanding interiors, more environmentally friendly refrigerant and best-in-class energy efficiency.





# **Product Details**

#### FEATURES

More environmentally friendly R600a refrigerant R600a is a non-synthetic refrigerant, with a lower global warming potential than conventional refrigerants used in most fridges.	Multi-flow air delivery With an intelligent airflow system that evenly disperses air to ensure optimum temperatures, your food will be kept fresher for longer.	Frost-free With the Electrolux frost free system, there's no more ice build up in your fridge or freezer, eliminating the need for defrosting.	Mark-resistant stainless steel door finish
Stylish flat stainless steel doors	Door close assist Helps to close the fridge door and ensures your food keeps fresher for longer	Adjustable Spillsafe glass shelves	Professionally inspired European styling Professionally inspired European styling
2 Adjustable front rollers and 2 rear rollers	Removable ice bucket and scoop	Twist ice and serve (removable) make ice with ease and cool drinks at a twist	Interior freezer light
Available as Left hand door opening only Available as Left hand door opening only	Best in class energy efficiency	Full length designer bar handles Adds style and elegance to your kitchen.	Mix and match design options Mix and match design options
Match to ERM4307SD	Full-width freezer basket on easy glide slides	Hidden hinges	

# BENEFITS



# EFM3607SD

#### Freedom to mix and match

With 10 different Electrolux Modular fridges and freezers to choose from, you can create up to 25 combinations for a customised solution that meets your unique style. Whether you choose a single or modular combination, youll be sure to find a model to perfectly match your kitchen and lifestyle.

#### Keep food fresher, longer

Our intelligent airflow system provides the ultimate in freshness. Designed to disperse air evenly throughout the fridge to ensure an optimum temperature, the airflow creates a cold wall that is evenly drawn through the refrigerator compartment. The result is fresh food that lasts a whole lot longer.

#### Non-synthetic refrigerant

R600a is a non-synthetic refrigerant with a significantly lower global warming potential and shorter life in atmosphere than the hydrofluorocarbon R134a used in most conventional fridges

Mark-resistant stainless steel

With an invisible, mark-resistant coating to help protect the exterior from fingerprints and grime, it couldnt be easier to keep your fridge in pristine condition.



# **Specifications**

## PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	vertical freezer
Exterior door finish	Stainless steel
Handle design	bar handle
Fridge door opening	left
Cooling system	frost free
Refrigerant	R600a

#### DIMENSIONS

Total height (mm)	1720
Cabinet height (mm)	1702
Total width (mm)	700
Cabinet width (mm)	690
Total depth (mm)	683
Cabinet depth (mm)	550
Depth door open 90degree (mm)	1288
Air space above cabinet (mm)	50
Total Gross Capacity (L)	360

## ENERGY

Energy Star Rating AS/NZS 3 4474.2:2009

Energy consumption AS/NZS 4474.2:2009 (kWhr/yr) 400

## REFRIGERATOR SYSTEM

Controls	manual
Controls location	internal
Controls type	rotary



#### **ENERGY**

5 **Energy Star Rating** AS4474.2:2001 to 2009

**REFRIGERATOR SYSTEM** 

**Control functions** 

SHELVING

multi-flow air delivery

## FREEZER COMPARTMENT

#### **ICE FACILITY**

Ice cube tray	3
Ice cube storage bin	1
Twist ice and serve	1

Shelving	glass shelf
Type of shelf	adjustable shelf
Number of shelf levels	4

#### **BASKET/DRAWER**

Full width plastic basket

Basket/Drawer runner system

telescopic

4

1

## LIGHTING

Main light

incandescent

## **OTHER PROPERTIES**

Half width shallow freezer drawer

### FREEZER DOOR

INTERNAL		
Bin mounting system	lug mounted	
Seals	removable, mould resistant	



# **Terms and Conditions**

#### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### **PRODUCT INFORMATION**

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz