


90cm 5 zone induction cooktop with MaxiZone, FlexZone, 14 stage slide controls, Stop & Go and Hob2Hood capability.



Product Details

FEATURES

MaxiZone

FlexZone

Hob2Hood technology

Touch and slide controls
Touch the control bar at the
necessary heat setting

STOP + GO function

Timer and minute minder

Auto warm-up function

Auto pot detection

BENEFITS

Enjoy the space and freedom to cook what you want
Use large pots and pans like a professional chef. The extra large MaxiZone on this hob gives you the freedom to effortlessly prepare all kinds of dishes that need a large pan with consistent heat, like that delicious paella you've been wanting to cook.

When 2 become 1
Create a single large cooking surface, ideal for making the most of plancha grill plates or roasting pots. FlexZone combines 2 separate cooking zones, including the temperature and time settings, for ultimate flexibility.

The hands free hood
When paired with a compatible Electrolux extractor hood, the Hob2Hood automatically switches it on as you start cooking and adjusts the fan speed based on how you are using your hob. This means you can boil, sear or stir-fry without having to touch your hood with greasy fingers.

Control at your fingertips
The touch controls on this hob lets you heat up, down or switch off immediately. Just gently slide your finger across the control to the temperature you need and you can be confident it will respond right away, so you can create delicious meals effortlessly. The Stop & Go feature offers a useful keep warm setting if you're unexpectedly interrupted.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
---------------------------------	---

Cooktop type	induction
--------------	-----------

Materials/Colour	black ceramic glass
------------------	---------------------

CONTROLS

Controls of Cooktops	Touch and Slide controls
----------------------	--------------------------

Position of controls	front
----------------------	-------

Functions of Cooktops	stop and go,automatic warm up,timer,Keep warm function,cooking timer with acoustic signal,automatic switch off,power booster,Hob2Hood
-----------------------	---

Indicators/display	fault indicator,3 level residual heat indicator
--------------------	---

DIMENSIONS

Total product height (mm)	55
---------------------------	----

Total product width (mm)	910
--------------------------	-----

Total product depth (mm)	520
--------------------------	-----

Cut out width (mm)	880
--------------------	-----

Cut out depth (mm)	490
--------------------	-----

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction extended
-----------------	--------------------

Left front Watts	2300
------------------	------

Left front boost watts	3200
------------------------	------

Left front diameter mm	210
------------------------	-----

CONTROLS

Features of Cooktop	safety cut off,overheating protection,electronic timer,minute minder,hot surface indicator,function lock,auto pot sensors,child safety device lock,flex zone on 2 zones ,Hob2Hood Connectivity
---------------------	--

Timer of Cooktop	programmable 99min,auto off,countdown,Minute minder
------------------	---

LEFT REAR ZONE

Left rear zone	induction extended
----------------	--------------------

Left rear watts	2300
-----------------	------

Left rear diameter mm	210
-----------------------	-----

RIGHT FRONT ZONE

Right front zone	induction
------------------	-----------

Right front Watts	1400
-------------------	------

Right front diameter mm	145
-------------------------	-----

CENTRE FRONT ZONE

Centre front zone	induction maxi
-------------------	----------------

Centre front Watts	3500
--------------------	------

Centre front diameter mm	280
--------------------------	-----

RIGHT REAR ZONE

Right rear zone	induction
-----------------	-----------

Right rear watts	1800
------------------	------

Right rear diameter mm	180
------------------------	-----

ELECTRICAL SPECIFICATIONS

SHIPPING

ELECTRICAL SPECIFICATIONS

Connected load KW	11
-------------------	----

Maximum current rating (amps)	45
----------------------------------	----

Type of connection	hardwired
--------------------	-----------

SHIPPING

Shipping Volume (m3)	0.93
----------------------	------

Shipping Weight (Kg)	18.8
----------------------	------

Pack Dimensions Height (mm)	125
--------------------------------	-----

Pack Dimension Width (mm)	635
------------------------------	-----

Pack Dimension Depth (mm)	1170
------------------------------	------

Total shelf area (m ²)	74.30
------------------------------------	-------

STUFFING QUANTITIES


20ft	128
------	-----

40ft	288
------	-----

40ft HC	342
---------	-----

Dimensions

Models:
EHI997BD
EHI955BD



*Unless otherwise specified in rangehood installation details.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz