



90cm Glass Rangehood





Product Details

FEATURES

Electronic touch controls	Powerful centrifugal fan with quiet operation	Stainless steel and glass	Two halogen lights
Electrolux E:Line Design	3 fan speeds plus PowerBoost	5 minute Auto-off Timer	

BENEFITS

E:Line kitchen design

The Electrolux E:Line Collection is striking, almost sculptural in appearance. With bold lines, and manufactured from stainless steel and pewter tone glass, all Electrolux E:Line appliances share a common design aesthetic to create harmony in your kitchen

Clean the Air

Maintain a clean fresh air in your kitchen with powerful centrifugal extraction. Multi-layered micro-mesh filters effectively capture and extract grease, while optional carbon filters remove cooking odours leaving your kitchen fresh

Powerful boost

Sophisticated electronic controls include a powerful and convenient boost option. During heavy duty cooking, the boost function can be used to maximise the fan speed for 1 minute to effectively clear the air, before returning to the previous fan setting

Entertain without Interruptions

You can enjoy dining without the distraction of cooking smells, smoke and unwelcome noise with this effective yet quiet rangehood. Extremely powerful or quietly effective as required, this canopy will keep the air in your kitchen clear



Specifications

PRODUCT PROFILE

2
wall mounted canopy
900
glass,stainless steel

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Variable speed control	Yes
Type of motor	centrifugal
Auto fan timer	No
Maximum airflow M3/Hr	961
Noise level dB high	64
Noise level dB low	56

DIMENSIONS

CON	ITRO	LS

Total product height (mm)	70	Control panel	electronic touch
Total product width (mm)	900	LED speed display	No
Total product depth (mm)	520	Removal front fascia	No
Diameter of ducting (mm)	150		

Electrolux

ERCG9030AS

DIMENSIONS

Maximum canopy chimney height (mm)	1260
Flue cover depth (mm)	333
Flue cover width (mm)	407

FILTERS

Dishwasher safe

No

LIGHTS

Number of lights	2
Wattage of light	20
Type of light	halogen

38

DUCTING / RECIRCULATION

Ducting	yes
Recirculation option	No
Recirculation kit	optional accessory
Front recirculating option	No
Optional extension flue	Yes

SHIPPING

Shipping Weight (Kg)

ERCG9030AS - ERCG9030AS



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz