



90cm high powered, 316 grade stainless steel canopy rangehood suitable for use indoor or outdoor.





Product Details

| FEATURES | | | |
|--|-----------------------------------|---|----------------------------|
| Stylish touch controls | Professional levels of extraction | Beautifully designed | Easy to clean and maintain |
| BENEFITS | | | |
| Easy to clean and maintain Cleaning need not be a chore, and with our Electrolux rangehoods it isn't. Designed to be easy to clean, simply put the removable filters into the dishwasher. | | Stylish touch controls Providing the ultimate control with a sleek and stylish design, choose from either touch on stainless steel or touch on glass controls. | |
| Beautifully designed Created with sleek lines and a stunning aesthetic, the range has been carefully designed so that each appliance looks individually stunning, yet also fits beautifully together. | | Low noise levels Keep the noise down and your productivity up. With conversation-friendly noise levels even at maximum power, you will enjoy the perfect environment for entertaining. | |

Remove smoke and steam quickly and efficiently from your kitchen. Enjoy professional levels of extraction with our highest performance rangehoods, which draw 2000m2/h.



Specifications

PRODUCT PROFILE

| Domestic warranty details (yrs) | 2 |
|------------------------------------|---------------------|
| Type of Rangehood | wall mounted canopy |
| Design family (eline) | Inspiration |
| Nominal width (cm) | 900 |
| Finish of Rangehood | stainless steel |
| | |

MOTOR/FAN

| Number of fans | 1 |
|-----------------------|--------------|
| Number of fans speeds | 4 |
| Type of motor | single motor |
| Maximum airflow M3/Hr | 1200 |
| Noise level dB high | 70 |
| Noise level dB low | 62 |

DIMENSIONS

| Total product height (mm) | 415 |
|---|-----|
| Total product width (mm) | 895 |
| Total product depth (mm) | 580 |
| Diameter of ducting (mm) | 170 |
| Minimum installation height from cooking surface Gas (mm) | 650 |

POWER

Electricity supply required 3.7 (Kw)



DIMENSIONS

Minimum installation height 650 from cooking surface Electric (mm)

CONTROLS

| Control panel | electronic touch |
|----------------------------|--|
| Safety/ display indicators | auto thermal cutout safety switch,clean filter indicator |
| LED speed display | Yes |

FILTERS

| Number of filters | 3 |
|-------------------|-----------------------------|
| Type of filter | multi layer stainless steel |
| Dishwasher safe | Yes |

LIGHTS

| Number of lights | 3 |
|------------------|---------|
| Wattage of light | 20 |
| Type of light | halogen |

DUCTING / RECIRCULATION

| Ducting | optional accessory |
|-----------------------|--------------------|
| Top or rear duct hole | top |
| Recirculation option | No |

SHIPPING

| Shipping Volume (m3) | 0428 |
|----------------------|------|
| Shipping Weight (Kg) | 40 |

Electrolux




SHIPPING

| Product Weight (Kg) | 40 |
|--------------------------------|------|
| Pack Dimensions Height (mm) | 600 |
| Pack Dimension Width (mm) | 1020 |
| Pack Dimension Depth (mm) | 700 |





Dimensions





Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz