

A 420L Top Mount Refrigerator with touch pad electronics on a mark resistant stainless steel classic curved door, with outstanding interiors.



Product Details

FEATURES

| | | | |
|---|---|--|---|
| Door alarm | Quick freeze function great for when a large quantity of food is added to the freezer | Freezer temperature alarm warns when the freezer becomes too warm | Egg tray |
| Half-width dairy compartment with lid | Hidden hinges | Twist ice server | Ice cube storage bin |
| Mark-resistant stainless steel | Rear rollers | Adjustable front rollers | More environmentally friendly R600a refrigerant R600a is a non-synthetic refrigerant, with a lower global warming potential than conventional refrigerants used in most fridges. |
| Best in class energy efficiency | Professionally inspired European styling Professionally inspired European styling | Door close assist Helps to close the fridge door and ensures your food keeps fresher for longer | FreshLogic® deodoriser |
| Full-width crisper on easy glide slides | Humidity controlled | Removable mould resistant seals | Available in right and left hand opening |
| Multi-function touch controls | Interior fridge light | Interior freezer light | Vacation mode reduces energy wastage when the fridge is not being used for an extended period |

BENEFITS

The mother nature of all fridges

The new collection of fridges and freezers have been designed with the planet, and you in mind. Each unit uses a more environmentally friendly refrigerant, to significantly reduce the level of gas emissions and feature best-in-class energy efficiency*

Non-synthetic refrigerant

R600a is a non-synthetic refrigerant with a significantly lower global warming potential and shorter life in atmosphere than the hydrofluorocarbon R134a used in most conventional fridges

Best in class

Using advanced technologies the Electrolux refrigeration collection provides best-in-class energy efficiency

Professionally inspired

Professionally inspired with mark resistant stainless steel doors, stunning full length handles, on classic curved doors, the new Electrolux models are built to impress!

Specifications

PRODUCT PROFILE

| | |
|---|-----------------|
| Domestic warranty details (yrs) | 2 |
| Additional domestic warranty for the sealed refrigeration system only (yrs) | 3 |
| Refrigerator Type | top mount |
| Exterior door finish | Stainless steel |
| Handle design | bar handle |
| Fridge door opening | left or right |
| Cooling system | frost free |
| Refrigerant | R600a |

ENERGY

| | |
|---|-----|
| Energy Star Rating AS/NZS 4474.2:2009 | 3 |
| Energy consumption AS/NZS 4474.2:2009 (kWhr/yr) | 367 |

DIMENSIONS

| | |
|---|------|
| Total height (mm) | 1640 |
| Cabinet height (mm) | 1622 |
| Total width (mm) | 703 |
| Cabinet width (mm) | 690 |
| Total depth (mm) | 709 |
| Cabinet depth (mm) | 612 |
| Depth door open 90degree (mm) | 1350 |
| Food compartment capacity (gross in litres) | 315 |
| Total Gross Capacity (L) | 420 |

REFRIGERATOR SYSTEM

| | |
|-------------------|---------------------------|
| Controls | electronic (with display) |
| Controls location | external |
| Controls type | touch |

ENERGY

| | |
|---|---|
| Energy Star Rating AS4474.2:2001 to 2009 | 5 |
|---|---|

FOOD COMPARTMENT

DELI-COMPARTMENT

| | |
|-----------------------------------|---------|
| Deli-Compartment Runner system | rollers |
|-----------------------------------|---------|

| | |
|------------------------|---|
| Full width compartment | 1 |
|------------------------|---|

| | |
|-------------------------------------|-----|
| Repositionable (by moving shelf) | Yes |
|-------------------------------------|-----|

CRISPERS

| | |
|-------------------|-------|
| Crisper lid/shelf | glass |
|-------------------|-------|

| | |
|------------------------|------------|
| Crispers Runner system | telescopic |
|------------------------|------------|

| | |
|--------------------|---|
| Full width crisper | 1 |
|--------------------|---|

| | |
|------------------|---------------------|
| Crisper features | humidity controlled |
|------------------|---------------------|

REFRIGERATOR SYSTEM

| | |
|-------------------|--|
| Control functions | quick freeze function,vacation mode,freezer temp alarm,multi-flow air delivery |
|-------------------|--|

| | |
|------------|--------|
| Door alarm | fridge |
|------------|--------|

SHELVING

| | |
|----------------|-------|
| Shelf material | glass |
|----------------|-------|

| | |
|------------------------|----|
| Number of shelf levels | 10 |
|------------------------|----|

| | |
|---------------|--------------------------------------|
| Type of shelf | spill safe shelf,adjustable shelf |
|---------------|--------------------------------------|

LIGHTING

| | |
|------------|--------------|
| Main light | incandescent |
|------------|--------------|

OTHER PROPERTIES

| | |
|--------------------------------------|---|
| Other Properties-FOOD COMPARTMENT | Modular anodised wine caddy,Deodoriser |
|--------------------------------------|---|

DAIRY COMPARTMENT

| | |
|----------------------|---|
| Half width, with lid | 2 |
|----------------------|---|

FREEZER COMPARTMENT

ICE FACILITY

| | |
|----------------------|---|
| Ice cube storage bin | 1 |
|----------------------|---|

| | |
|---------------------|---|
| Twist ice and serve | 3 |
|---------------------|---|

LIGHTING

| | |
|------------|--------------|
| Main light | incandescent |
|------------|--------------|

FOOD COMPARTMENT DOOR

BINS

| | |
|-----------------|---|
| Deep bottle bin | 2 |
|-----------------|---|

OTHER PROPERTIES

| | |
|---------------------|-------------|
| Bin mounting system | lug mounted |
|---------------------|-------------|

| | |
|-------|---------------------------|
| Seals | removable,mould resistant |
|-------|---------------------------|

SHELVING

| | |
|----------|-------------|
| Shelving | glass shelf |
|----------|-------------|

| | |
|---------------|------------------|
| Type of shelf | adjustable shelf |
|---------------|------------------|

| | |
|------------------------|---|
| Number of shelf levels | 2 |
|------------------------|---|

FREEZER DOOR

INTERNAL

| | |
|-----------------------------------|---|
| Freezer door bins - full width | 2 |
|-----------------------------------|---|

| | |
|---------------------|-------------|
| Bin mounting system | lug mounted |
|---------------------|-------------|

Seals

removable,mould resistant

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz