

Mutifunction 12 / 12 double oven with IOI (Intuitive Oven Interface) and FullFlex telescopic runners





# **Product Details**

#### **FEATURES**

Unique IOI™ technology* – no manuals required	IOI makes cooking easy	Elegant and effective oven display	Double electric oven
80L gross capacity oven	FullFlex Telescopic Runners	Cooler touch door	

#### **BENEFITS**

#### IOI makes cooking easy

Experience a simpler, more enjoyable way to cook. Our unique Intuitive Oven Interface (IOI) makes our ovens so easy to use you wont need a manual. Plus the elegant full colour screen displays temperature and function feedback so you can easily program and check your cooking for impressive results without the extra effort.

Elegant and effective oven display

Elegant and stylish, the full colour screen displays temperature and function feedback. The high definition full colour animation clearly shows the ovens status and proves that functional design can be beautiful too.

#### Huge 80L gross capacity oven

Designed for the entertainer and large families, this large capacity 80-litre oven will make catering for every occasion quick and easy. Plus, energy use is also kept to a minimum, despite its size.

#### FullFlex Telescopic Runners

Our FullFlex telescopic runners give you safe, easy access all areas of your oven. This makes it easier to turn and stir your food for great results every time.

#### Cooler touch door

For added safety and confidence in the kitchen, the cooler touch door features an innovative door cooling system with multiple glazed door panels. The door design minimises heat being transferred outside the oven, while ensuring a cooler touch oven door and cooler kitchen environment.



# **Specifications**

## PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Oven	double oven
Oven fuel	electric
Materials/Colour	mark resistant stainless steel,black
Controls of Oven	IOI,touch
Cooling fan	Yes

## **DIMENSIONS**

PRODUCT DIMENSION		
Total height (mm)	1083	
Total width (mm)	596	
Total depth (mm)	573	

# FLUSH FIT CUT OUT

Flush fit cut out height (mm)	1086
Flush fit cut out width (mm)	600
Flush fit cut out depth (mm)	581

## MAIN OVEN

Gross capacity litres	80
Useable capacity litres	72
Oven function	multifunction
Number of functions	12



## MAIN OVEN

Oven Functions	traditional bake,roast,pizza,cook from frozen,full grill,fan grill,keep warm,defrost,fan cooking,fan assist bake,pastry,Half grill,rapid heat,base heat
Oven liner	pyrolux high temperature enamel
Timer functions	acoustic signal,duration,end,minute minder,oven start,stop,Countdown

# SECOND OVEN OR GRILL

Gross capacity litres	80
Useable capacity litres	72
Oven functions	multifunction
Number of functions	12
Oven Functions	traditional bake,full grill,keep warm,fan assist bake,pastry,Half grill,fan cooking,roast,pizza,cook from frozen,fan grill,defrost,base heat
Fold down grill element	Yes
Closed door grilling	Yes

# **ELECTRICAL CONNECTION**

Connected load KW	6.2
Maximum current rating (amps)	25.8
Type of connection	hardwired



## SECOND OVEN OR GRILL

Shelf support	side rack
Number of shelves	2
Number of shelf positions	6
Lights	3
Light position	side and rear
Layers of glass in door	3
Telescopic runners	two

## OTHER FEATURES

Cleaning	catalytic
Catalytic liner position	rear
Door	removable door,cool door,removable inner glass panes
Timer	Fully programmable touch control timer
Lights	3
Light wattage	25



## OTHER FEATURES


Light position	side and rear
Telescopic runners	two
Shelf support	side rack
Number of shelves	2
Safety features	cool door
Closed door grilling	Yes
Fold down grill element	Yes
Included accessories	2 x chromed wire shelf,roasting dish,telescopic runners,side racks,anti splatter grill insert,grill/oven pan,2 x baking trays,2 x telescopic runners
Layers of glass in door	3
Number of shelf positions	6



# **Dimensions**

#### **Double oven Cut-out dimensions**

Type of fit	A (width)	B (height)	C (depth)
Flush fit (mm)	600	1086	581 min.





# **Terms and Conditions**

#### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### **ELECTROLUX HOME PRODUCTS AUSTRALIA**

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz