

WFE9756DD

90cm electric freestanding oven with Induction cooktop, multi-function 10 oven, AirFry, and Hob2Hood.



Product Details

FEATURES

AirFry	Induction Enjoy the safety, speed and efficiency of induction cooking.	Twin Fan System	Telescopic runners
Bridge zone	Hob2Hood	40A power	Large 125L gross oven capacity
Fast Heat Up	Programmable timer	Quadruple glazed doors	Handy storage compartment Extra storage always comes in handy, so with a clever storage compartment you can easily stow away any extra pots and pans.
Dark Stainless Steel Finish	Clip-on plinth included		
BENEFITS			

AirFry for that perfect, crunch

When a food craving hits, make healthier and delicious food right in your oven with minimal oil. Deliver all the flavour and none of the guilt. AirFry allows you to make healthier, tasty meals for the entire family right in your oven. Twin fan system for even cooking

Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



Designed for ease and safety

Telescopic runners are another piece of thoughtful design that makes it easy to draw racks out and safely check on your dishes during cooking.

Induction cooking

Enjoy the safety and efficiency of induction cooking. Almost twice as fast as gas or electric in transforming energy into heat. What's more, induction cooking only generates heat in the cookware, so surfaces around the pot are cool to touch. Therefore the cooking environment remains cooler and safer. The surface is also easy to clean, as any spills are simply wiped away.

Built in Australia

Westinghouse, has been the heart of the home for generations and the kitchen appliance brand we have always known and trusted to build reliable products. This oven is built in a local factory in Adelaide.

Clear the air with Hob2Hood

With Hob2Hood technology, compatible rangehoods work seamlessly with your Freestanding cooker to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

Easy installation

Before upgrading to your new induction freestanding cooker, ensure your house has enough power to run the appliance properly. This product can run from 40A of power, meaning you may not need to update your power board.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Oven fuel	electric
Materials/Colour	Dark stainless steel
Controls of Oven	control knob,3 button touch control LED
Cooling fan	Yes
Plinth colour (kickboard)	Dark stainless steel
Anti tilt plate	Yes
Front/rear controls	front

DIMENSIONS

PRODUCT DIMENSION		
Total height (mm)	906	
Total width (mm)	895	
Total depth (mm)	600	

FLUSH FIT CUT OUT

Flush fit cut out height (mm)	900	(
Flush fit cut out width (mm)	900	L
Flush fit cut out depth (mm)	600	(
		-

MAIN OVEN

Gross capacity litres	125
Useable capacity litres	116
Oven function	multifunction
Number of functions	10



MAIN OVEN

Cleaning	steam	
Oven liner	pyrolux high temperature enamel	
Timer functions	duration,end,minute minder,oven start,Countdown,24 hour clock	
Lights	2	
Light wattage	50	
Light position	rear	
Light activation by door	Yes	
Layers of glass in door	3	
Telescopic runners	one	
Shelf support	Easy glide side racks	
Number of shelves	2	
Number of shelf positions	5	
Closed door grilling	Yes	

ELECTRICAL CONNECTION

SHIPPING



ELECTRICAL CONNECTION

Connected load KW	9.6
Maximum current rating (amps)	40
Type of connection	hardwired

SHIPPING

Shipping Volume (m3)	0.675
Shipping Weight (Kg)	96
Pack Dimensions Height (mm)	900
Pack Dimension Width (mm)	1000
Pack Dimension Depth (mm)	750

STUFFING QUANTITIES

20ft	32
40ft	64
40ft HC	90

COOKTOP (IF APPLICABLE)

PRODUCT PROFILE

Cook top type	full induction	
Materials/Colour	black ceramic glass	
Knob finish	Metalised dark finish	

ELEMENTS/BURNERS

Cooking zones

5

LEFT FRONT ZONE

Left front Watts

2300

LEFT REAR ZONE

CENTRE FRONT ZONE



Left rear zone	e Bridge	Ce	entre front Watts	3500
Left rear watt	is 2300			
RIGHT FRO	ONT ZONE	RIC	GHT REAR ZONE	
Right front Watts 2300		Ri	ght rear watts	2300
CONTROL	S		ELECTRICAL COM	NECTION
Position of controls	front		Connected load KW	9.6
Functions of Cooktops	timer,Keep warm function,pause,Hob2Hood,PowerBoost,MaxiZo	ne	Type of connection of Cooktop	hardwired
Timer of Cooktop	programmable 99min,countdown			

DIMENSIONS

Readable

temperature setting

No

Total product height (mm) 906 Total product width (mm) 895





Total product depth (mm)	600
Cut out width (mm)	900
Cut out depth (mm)	600
Cut out height (mm)	900
Height adjustment (mm)	926






Dimensions

90cm freestanding cooker

WFE9756DD



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz