

Westinghouse 630L French Door Fridge, Stainless Steel with FlexSpace fully convertible temperature drawer, dual freezer storage, FreshSeal Easy Glide Crispers with automatic humidity control, 3.5 energy star rating, hidden in door water dispenser & Automatic ice with XL capacity



Product Details

FEATURES

Sabbath Energy Saving Mode	SmartSplit Door Design	Quick Chill & Quick Freeze Functions	SnackZone
TwinTech Dual Cooling	Hidden in door dispenser	Auto icemaker	Dual Freezer Storage
FreshSeal Easy Glide Crispers	FlexSpace Fully Convertible Drawer		

BENEFITS

Use your fridge your way With 5 simple preset settings, it takes the hassle out of rearranging food and lets your fridge adapt to real life.	Water without the clutter The hidden side water dispenser keeps the fridge exterior clean while still giving quick access to filtered water without fully opening the door.
Fresh food, looked after FreshSeal Easy Glide Crispers automatically control humidity to help keep fruit and vegetables fresher for longer. Smoothgliding drawers make everyday access easy, even when fully loaded.	Freezer space that works Dual freezer drawers make it easier to organise food so frequently used items are always within reach and larger meals stay neatly stored.
Ice ready, without planning Automatic Ice with XL Capacity keeps a steady supply of ice available for everyday use and family catch-ups. There are no filling trays or a need to think ahead its simply ready when needed.	Consistent cooling, done properly TwinTech Dual Cooling uses separate cooling systems for the fridge and freezer to help maintain stable temperatures and humidity. This supports better food care over time, helping keep fresh food fresh and frozen food properly frozen.

A freezer boost when you need it

Quick Freeze rapidly lowers the freezer temperature after youve added a large shop, helping protect frozen food until everything is back to normal. It runs for a set time, then automatically returns to normal operation, so theres nothing else to manage.

Freshness locked in fast

Quick Chill rapidly lowers the fridge temperature after a large grocery shop to help stabilise conditions and protect fresh food. It runs for a set period and then automatically returns to normal operation.

Snacks, made easy

SnackZone is a dedicated compartment designed to keep everyday favourites in one easytoeach place. Positioned at a practical height, it helps the whole family find what they want quickly without rummaging through the fridge.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	french door
Exterior door finish	Silver
Handle design	integrated
Fridge door opening	left and right
Cooling system	frost free
Freezer door opening	drawer
Refrigerant	R600a
Dispenser type	water
Plumbed water supply required	Yes
Compressor	Inverter

DIMENSIONS

Total height (mm)	1782
Cabinet height (mm)	1730
Total width (mm)	913
Cabinet width (mm)	908
Total depth (mm)	746
Cabinet depth (mm)	625
Air space above cabinet (mm)	25
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	393
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	164
Convertible Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	73
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	630

ENERGY

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	3.5
Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	485

FOOD COMPARTMENT

SHELVING

Shelf material	glass
----------------	-------

DIMENSIONS

Food compartment capacity (gross in litres)	413
Freezer compartment capacity (gross in litres)	188
Convertible Compartment/Drawer capacity (gross in litres)	80
Total Gross Capacity (L)	680

REFRIGERATOR SYSTEM

Controls	electronic (with display)
Controls location	internal
Controls type	touch
Control functions	quick freeze function,quick chill,lock,sabbath mode,ice maker
Door alarm	fridge and freezer

CRISPERS

Crisper lid/shelf	plastic
-------------------	---------

Type of shelf	spill safe shelf,adjustable shelf
Flip up shelf	1
1/3 width shelves	1
2/3 width shelves	1

LIGHTING

Feature lighting	LED
Main light	LED

FOOD COMPARTMENT DOOR

BINS

Deep bottle bin	1
Shallow bin	2
1/3 width bins	1
Expandable bin	1

SPECIAL COMPARTMENTS

Crispers Runner system	telescopic
Crisper features	automatic humidity control,fully sealed
1/3 width crisper	1
2/3 width crisper	1

OTHER PROPERTIES

Other Properties-FOOD COMPARTMENT	Egg tray,Snack zone,Deodoriser,Water filter,Internal water dispenser
-----------------------------------	--

DAIRY COMPARTMENT

Half width, with lid	1
----------------------	---

FREEZER COMPARTMENT

Small items bin	1
-----------------	---

ICE FACILITY

Ice cube tray	1
---------------	---

Automatic ice maker	1
---------------------	---

Ice Maker	Automatic
-----------	-----------

SHELVING

Shelving	glass shelf
----------	-------------

Type of shelf	slide out shelf
---------------	-----------------

Number of shelf levels	1
------------------------	---

BASKET/DRAWER

Full width plastic basket	1
---------------------------	---

Basket/Drawer runner system	telescopic
-----------------------------	------------

Drawer divider	2
----------------	---

Full width deep plastic basket	1
--------------------------------	---


LIGHTING

Main light	LED
------------	-----


Dimensions

French door with convertible drawer


WHE6351SA



Minimum Recommended Airspaces



If you have a cupboard above the refrigerator, recommended minimum clearance at the top of the refrigerator increases to 25mm.




Front face of bench aligned to front corner edge of cabinet.

When positioned in a corner area, spacing of at least 345mm on the right hinge side and 255mm on the left hinge side will allow the doors to open enough to enable the removal of bins and shelves.

Installation options:


Minimum side clearance kitchen cabinet

Fridge must sit 50mm proud of kitchen cabinetry.




Front of fridge body in line with kitchen cabinet

Side clearance must be 72mm either side of fridge body, to have the fridge doors sitting proud of the kitchen cabinetry.



Fridge door flush with the cabinetry

Side clearance must be 153mm either side of the fridge, to have the fridge doors sitting flush with the kitchen cabinetry.



Dimensions	Product Height	Product Width	Product Depth	Product Depth (Door Open)
WHE6351SA	1782	913	746	1189

Airspace	Side - both	Top	Behind
WHE6351SA	10	25	35

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz