
60cm 3 zone PowerLite, a low current enabled induction cooktop, makes upgrading easy. It comes with Hob2Hood, PowerBoost and touch slide controls.





Product Details

FEATURES

PowerLite low current enabled	PowerBoost	Hob2Hood	Pause
Touch control	Child safety device	QuickCook Timer	Easy clean ceramic surface
Residual heat indicator			

BENEFITS

PowerLite Makes Upgrading Easy

Switch to induction with ease. PowerLite matches the input power of traditional cooktops and can be compatible with your current wiring, meaning no rewiring, and less hassle.**For suitability and installation please consult a licensed electrician.

Zero to Boil in no time

With PowerBoost, you can rapidly boil a pot of water or quickly heat up a frying pan. Spend less time waiting and more time creating your favourite meals.

Hold everything with our clever Pause function We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to the lowest setting. When you're ready to go again, hit Pause again and settings will return to where you left off.

Clear the air with Hob2Hood

With Hob2Hood technology, compatible rangehoods work seamlessly with your induction or ceramic cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

Timed to perfection

Never over-cook or burn dinner again. Just set the cooking time and your cooktop will automatically turn the heat off for you. Easy clean ceramic surface

The durable ceramic cooktop surface is easy to clean and maintain ensuring your kitchen is always looking its best.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	induction
Materials/Colour	black ceramic glass

DIMENSIONS

Total product height (mm)	51
Total product width (mm)	590
Total product depth (mm)	520
Cut out width (mm)	560
Cut out depth (mm)	490

CONTROLS

Controls of Cooktops	Touch and Slide controls
Position of controls	right front
Functions of Cooktops	timer,pause,Hob2Hood,PowerBoost,stop and go,auto heat up,automatic switch off,Child-lock,Pot detection
Indicators/display	residual heat warning lamps,fault indicator

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction
Left front Watts	1400
Left front boost watts	2500
Left front number of cooking zones	1
Left front diameter mm	140



CONTROLS

Features of Cooktop

safety child lock, safety cut off,Hob2Hood,function lock,pot sensors, child safety device lock, Hob2Hood Connectivity, hot surface indicator, electronic timer, minute minder

Timer of Cooktop countdown, auto off, Minute minder

Readable temperature setting

No

LEFT REAR ZONE

Left rear zone	induction
Left rear watts	1800
Left rear number of cooking zones	1
Left rear diameter mm	180

RIGHT FRONT ZONE

Right front zone	MaxiZone
Right front Watts	2300
Right front number of cooking zones	1
Right front diameter mm	240

ELECTRICAL SPECIFICATIONS

Connected load KW	3.5
Maximum current rating (amps)	15

SHIPPING

Shipping Volume (m3)	0.048
Shipping Weight (Kg)	10.5



ELECTRICAL SPECIFICATIONS

Type of connection	hardwired

SHIPPING

Pack Dimensions Height (mm)	118
Pack Dimension Width (mm)	680
Pack Dimension Depth (mm)	600

STUFFING QUANTITIES


20ft	468
40ft	1008
40ft HC	1120



Dimensions

60cm PowerLite induction cooktops

WHI642BE, WHI632BE



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz