
**60cm 4 zone induction cooktop with BoilProtect, Hob2Hood, PowerBoost, Pause and touch controls.**



# Product Details

## FEATURES

| | | | |
|---|---|---|---|
| BoilProtect | Hob2Hood | PowerBoost | Pause |
| 6.5kW rated input power | QuickCook Timer | Touch control | Residual heat indicator |
| Child safety device | Easy clean ceramic surface | | |

## BENEFITS

No more boiling over
There are more exciting things to do than watching water boil. BoilProtect detects rising bubbles and automatically reduces to a low simmer. No more constant monitoring so you can focus on the flavours. Applies to stainless steel and enamelled pots filled with water only.

Clear the air with Hob2Hood
With Hob2Hood technology, compatible rangehoods work seamlessly with your induction or ceramic cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

Hold everything with our clever Pause function
We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to the lowest setting. When you're ready to go again, hit Pause again and settings will return to where you left off.

Zero to Boil in no time
With PowerBoost, you can rapidly boil a pot of water or quickly heat up a frying pan. Spend less time waiting and more time creating your favourite meals.

Transition to induction with ease
If switching to an induction cooktop is on your to-do list, you can upgrade with extra ease if your new induction cooktop shares the same rated input power as your old ceramic or electric cooktop.

Timed to perfection
Never over-cook or burn dinner again. Just set the cooking time and your cooktop will automatically turn the heat off for you.

# Specifications

## PRODUCT PROFILE

| | |
|---|---|
| Domestic warranty details (yrs) | 2 |
| Cooktop type | induction |
| Materials/Colour | black ceramic glass |

## DIMENSIONS

| | |
|---|---|
| Total product height (mm) | 51 |
| Total product width (mm) | 590 |
| Total product depth (mm) | 520 |
| Cut out width (mm) | 560 |
| Cut out depth (mm) | 490 |

## CONTROLS

| | |
|---|---|
| Controls of Cooktops | touch |
| Position of controls | right front |
| Functions of Cooktops | timer,Keep warm function,pause,PowerBoost,Hob2Hood,BoilProtect |
| Indicators/display | fault indicator,residual heat warning lamps |
| Features of Cooktop | safety cut off,electronic timer,safety child lock,hot surface indicator,Hob2Hood,BoilProtect |
| Timer of Cooktop | programmable 99min,countdown |

## ELEMENTS/BURNERS

### LEFT FRONT ZONE

| | |
|---|---|
| Left front zone | induction |
| Left front Watts | 2300 |
| Left front boost watts | 3600 |
| Left front number of cooking zones | 1 |
| Left front diameter mm | 210 |

## CONTROLS

| | |
|---|---|
| Readable temperature setting | No |

## LEFT REAR ZONE

| | |
|---|---|
| Left rear zone | induction |
| Left rear watts | 1800 |
| Left rear number of cooking zones | 1 |
| Left rear diameter mm | 140 |

## RIGHT FRONT ZONE

| | |
|---|---|
| Right front zone | induction |
| Right front Watts | 1400 |
| Right front number of cooking zones | 1 |
| Right front diameter mm | 140 |

## RIGHT REAR ZONE

| | |
|---|---|
| Right rear zone | induction |
| Right rear watts | 1800 |
| Right rear number of cooking zones | 1 |
| Right rear diameter mm | 180 |

## ELECTRICAL SPECIFICATIONS

| | |
|---|---|
| Connected load KW | 6.5 |
| Type of connection | hardwired |

## SHIPPING

## STUFFING QUANTITIES

## SHIPPING

| | |
|---|---|
| Shipping Volume (m3) | 0.048 |
| Shipping Weight (Kg) | 11.5 |
| Pack Dimensions Height (mm) | 118 |
| Pack Dimension Width (mm) | 680 |
| Pack Dimension Depth (mm) | 600 |


## STUFFING QUANTITIES


| | |
|---|---|
| 20ft | 486 |
| 40ft HC | 1197 |


# Dimensions

## 60cm induction cooktops

WHI635BD, WHI643BD, WHI645BD






**IMPORTANT**

These dimensions are a guide only. All measurements are in millimetres (mm).
For complete installation instructions, refer to the manual provided with product.

# Terms and Conditions

**IMPORTANT**

**This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.**

**PRODUCT INFORMATION**

**The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.**

**WARRANTY**

**This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.**

**ELECTROLUX HOME PRODUCTS AUSTRALIA**
**telephone: 1300 363 640**
**fax: 1800 350 067**
**email: customercare@electrolux.com.au**
**web: www.electrolux.com.au**

**ELECTROLUX HOME PRODUCTS NEW ZEALAND**
**telephone: 09 573 2230**
**fax: 09 573 2221**
**email: customercare@electrolux.co.nz**
**web: www.electrolux.co.nz**