


90cm 4 zone PowerLite, a low current enabled induction cooktop, makes upgrading easy. It comes with Hob2Hood, PowerBoost and touch slide controls.





Product Details

FEATURES

PowerLite low current enabled	PowerBoost	Hob2Hood	Pause
Touch control	Child safety device	QuickCook Timer	Easy clean ceramic surface
Residual heat indicator			

BENEFITS

PowerLite Makes Upgrading Easy

Switch to induction with ease. PowerLite matches the input power of traditional cooktops and can be compatible with your current wiring, meaning no rewiring, and less hassle.**For suitability and installation please consult a licensed electrician.

Zero to Boil in no time

With PowerBoost, you can rapidly boil a pot of water or quickly heat up a frying pan. Spend less time waiting and more time creating your favourite meals.

Hold everything with our clever Pause function
We know that family life is full of distractions. That's why
you'll appreciate our clever Pause function. Simply touch the
Pause icon on your cooktop and all operating induction zones
will drop to the lowest setting. When you're ready to go again,
hit Pause again and settings will return to where you left off.

Clear the air with Hob2Hood

With Hob2Hood technology, compatible rangehoods work seamlessly with your induction or ceramic cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

Timed to perfection

Never over-cook or burn dinner again. Just set the cooking time and your cooktop will automatically turn the heat off for you.

Easy clean ceramic surface

The durable ceramic cooktop surface is easy to clean and maintain ensuring your kitchen is always looking its best.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	induction
Materials/Colour	black ceramic glass

DIMENSIONS

Total product height (mm)	51
Total product width (mm)	900
Total product depth (mm)	515
Cut out width (mm)	880
Cut out depth (mm)	490

CONTROLS

Controls of Cooktops	Touch and Slide controls
Position of controls	right front
Functions of Cooktops	timer,pause,PowerBoost,Hob2Hood,stop and go,automatic switch off,Child- lock,Pot detection,auto heat up
Indicators/display	fault indicator,residual heat warning lamps

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction
Left front Watts	2300
Left front boost watts	3200
Left front number of cooking zones	1
Left front diameter mm	210



CONTROLS

Features of Cooktop

minute minder, safety cut off, electronic

timer, safety child

lock, Hob2Hood, function lock, pot sensors, child safety device lock, hot

surface indicator, Hob2Hood

Connectivity

Timer of Cooktop countdown, Minute minder, auto off

Readable temperature setting

No

LEFT REAR ZONE

Left rear zone	induction
Left rear watts	1400
Left rear number of cooking zones	1
Left rear diameter mm	140

RIGHT FRONT ZONE

Right front zone	induction
Right front Watts	1400
Right front number of cooking zones	1
Right front diameter mm	140

RIGHT REAR ZONE

Right rear zone	induction
Right rear watts	1800

ELECTRICAL SPECIFICATIONS

Connected load KW	4.6
Maximum current rating (amps)	20





Right rear number of cooking zones	1
Right rear diameter mm	180

ELECTRICAL SPECIFICATIONS

Type of connection	hardwired

SHIPPING

Shipping Volume (m3)	0.065
Shipping Weight (Kg)	14.5
Pack Dimensions Height (mm)	108
Pack Dimension Width (mm)	1000
Pack Dimension Depth (mm)	600

STUFFING QUANTITIES


20ft	400
40ft	840
40ft HC	924



Dimensions

90cm PowerLite induction cooktops

WHI942BE



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz