


90cm 4 zone PowerReady, a low current enabled induction cooktop, makes upgrading easy. It comes with Hob2Hood, PowerBoost and touch slide controls.



Product Details

FEATURES

PowerReady Induction connects to standard household power

PowerBoost

Hob2Hood

Pause

Touch control

Child safety device

QuickCook Timer

Easy clean ceramic surface

Residual heat indicator

BENEFITS

Switch to induction without switching your power
Switching to induction has never been simpler. Our PowerReady Induction cooktops are designed to work with standard household power, removing the need for complex electrical upgrades*. Less hassle, more time to enjoying great cooking. *For installation please consult a licensed electrician.

Zero to Boil in no time
With PowerBoost, you can rapidly boil a pot of water or quickly heat up a frying pan. Spend less time waiting and more time creating your favourite meals.

Hold everything with our clever Pause function
We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to the lowest setting. When you're ready to go again, hit Pause again and settings will return to where you left off.

Clear the air with Hob2Hood
With Hob2Hood technology, compatible rangehoods work seamlessly with your induction or ceramic cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

Timed to perfection
Never over-cook or burn dinner again. Just set the cooking time and your cooktop will automatically turn the heat off for you.

Easy clean ceramic surface
The durable ceramic cooktop surface is easy to clean and maintain ensuring your kitchen is always looking its best.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	induction
Materials/Colour	black ceramic glass

CONTROLS

Controls of Cooktops	Touch and Slide controls
Position of controls	right front
Functions of Cooktops	timer,pause,PowerBoost,Hob2Hood,stop and go,automatic switch off,Child-lock,Pot detection,auto heat up
Indicators/display	fault indicator,residual heat warning lamps

DIMENSIONS

Total product height (mm)	51
Total product width (mm)	900
Total product depth (mm)	515
Cut out width (mm)	880
Cut out depth (mm)	490

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction
Left front Watts	2300
Left front boost watts	3200
Left front number of cooking zones	1
Left front diameter mm	210

CONTROLS

Features of Cooktop	minute minder,safety cut off,electronic timer,safety child lock,Hob2Hood,function lock,pot sensors,child safety device lock,hot surface indicator,Hob2Hood Connectivity
Timer of Cooktop	countdown,Minute minder,auto off
Readable temperature setting	No

LEFT REAR ZONE

Left rear zone	induction
Left rear watts	1400
Left rear number of cooking zones	1
Left rear diameter mm	140

RIGHT REAR ZONE

Right rear zone	induction
Right rear watts	1800

RIGHT FRONT ZONE

Right front zone	induction
Right front Watts	1400
Right front number of cooking zones	1
Right front diameter mm	140

ELECTRICAL SPECIFICATIONS

Connected load KW	4.6
Maximum current rating (amps)	20

Right rear number of cooking zones	1
------------------------------------	---

Right rear diameter mm	180
------------------------	-----

SHIPPING

Shipping Volume (m3)	0.065
----------------------	-------

Shipping Weight (Kg)	14.5
----------------------	------

Pack Dimensions Height (mm)	108
-----------------------------	-----

Pack Dimension Width (mm)	1000
---------------------------	------

Pack Dimension Depth (mm)	600
---------------------------	-----

ELECTRICAL SPECIFICATIONS

Type of connection	hardwired
--------------------	-----------

STUFFING QUANTITIES

20ft	400
------	-----



40ft	840
------	-----

40ft HC	924
---------	-----

Dimensions

90cm PowerLite induction cooktops

WHI942BE



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm).
For complete installation instructions, refer to the manual provided with product.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz