

341L top mount fridge, white with Autosense smart cooling function, FreshSeal™ crisper, sphere ice tray & 3.5-star energy rating



Product Details

FEATURES

AutoSense Autosense adapts to enhance performance.	Cool tray Cool Tray offers flexible, extra storage.	FreshSeal Crisper	Sphere ice tray
Inverter technology	Reversible door	Multi-flow air delivery system	Flat Door Design
FlexStor™ door bin storage system	SpillSafe™ Glass	Door alarm	Frost free
Egg tray	LED lighting		

BENEFITS

drinks anytime.

AutoSense: Smarter CoolingFreshSeal CrispersAutosense function enables more efficient operation and
optimised performance by adapting to your habits, learning
your fridge usage patterns, and adjusting its temperature
accordingly.Our FreshSeal Crispers have seals that assist in preventing
moisture loss to retain fruit and vegetable freshness and look
after your food the right way.Stay refreshingly cool
Keep your drinks ice cold thanks to our sphere ice tray. With
plenty of ice available for all and the slow melting nature ofExtra cool storage
For additional storage when you need it, the Cool Tray can be
used at any time and for any occasion.

larger sphere ice, you and your family can enjoy ice-cold



Quieter, energy-efficient fridge

For a quieter, more energy-efficient home our inverter technology adjusts to your fridges cooling needs, keeping the temperature just right for your fruits and vegetables while using less energy.*Tests by Eurofins Thailand Laboratory on compressor running noise level.**Internal tested single speed compressor compared to inverter compressor. Multi-Flow Air Delivery System

Fresher food means tastier food. The Westinghouse Multi-Flow Air Delivery System keeps the temperature stable so every ingredient in the fridge stays fresher for longer.

Specifications

PRODUCT PROFILE

2
top mount
White
reversible
frost free
R600a
Inverter

DIMENSIONS

Total height (mm)	1756
Cabinet height (mm)	1740
Total width (mm)	598
Cabinet width (mm)	595
Total depth (mm)	650
Cabinet depth (mm)	586
Depth door open 90degree (mm)	1199
Air space above cabinet (mm)	90
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	267
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	74
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	341



WTM3400WL

ENERGY

Energy Star Rating - 3.5 AS/NZS 4474.1 2007 (IEC 62552- 2015) *

311

Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552-2015) *

REFRIGERATOR SYSTEM

Controls	manual
Controls location	internal
Control functions	Autosense
Door alarm	fridge

FOOD COMPARTMENT

CHILLER COMPARTMENT

Full width compartment

SHELVING

Shelf material

glass

CRISPERS

Crisper lid/shelf	glass
Crispers Runner system	suspended
Full width crisper	1
Crisper features	fully sealed

1

LIGHTING

Feature lighting	LED
Main light	LED

OTHER PROPERTIES

FOOD COMPARTMENT DOOR

BINS



WTM3400WL

Other Properties-FOOD COMPARTMENT	Egg tray	Deep bottle bin	1
		Shallow bin	2
OTHER PROPERTIES		FREEZER COMPARTM	ENT
Bin mounting system lug mounted		ICE FACILITY	
		Ice sphere tray	1

SHELVING

Shelving	glass shelf
Number of shelves	1

FREEZER DOOR

INTERNAL


Freezer door bins - full 2 width




Dimensions

Medium Top Mount Fridges

WTM3100SL/WL WTM3400WL






IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.


© 2024 Electrolux Home Products Pty Ltd. WHS_DIM_MediumTM_Nov24 @and Westinghouse are trademarks of Westinghouse Electric Corporation. All Rights Reserved.



Please note: Doors are designed to sit proud of cabinetry (not flush).

Model	x	
WTM3100 WTM3400	350mm	

When positioned in a corner area, spacing a minimum of Xmm (distance depends of the model as per the table above) on the hinge side will allow the doors to open enough to enable the removal of shelves.



Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)
WTM3100SL	1646	598	650	1199
WTM3100WL	1646	598	650	1199
WTM3400WL	1756	598	650	1199

Airspace	Side-both	Тор	Behind
WTM3100SL	30	90	50
WTM3100WL	30	90	50
WTM3400WL	30	90	50



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz